

		2022.9.17 森田AH	2023.12.25 あいAH	2024.2.22外注(森田)	2024.4.1森田AH	2024.9.18外注(森田)	2024.9.30 森田AH	2024.10.6 いずみAH	2024.10.10 森田AH	2024.10.17 森田AH	2024.10.22 森田AH	2024.10.30 外注(森田)
WBC 白血球数	10^2/μl	74	90 (60-170)	71	69 (69-120)	72	90 (69-120)	134 (60-170)	209 (69-120)	235 (69-120)	144 (69-120)	144
Sta. 桿状好中球	10^2/μl											
Seg. 分葉状好中球	10^2/μl											
Lym. リンパ球	10^2/μl											
Mon. 単球	10^2/μl											
Eos. 好酸球	10^2/μl											
Bas. 好塩基球	10^2/μl											
RBC 赤血球数	10^4/μl	711	731 (550-850)	598		624		525 (550-850)				546
PCV (Ht)	%	45.9	44.4 (37-55)	36	38.3 (37-55)	37.4	35.8 (37-55)	33.5 (37-55)	27.7 (37-55)	27.9 (37-55)	32.9 (37-55)	33.1
Hb ヘモグロビン濃度	g/dl	15.1	16.2 (12-18)	13		13.1		11.3 (12-18)				10.9
MVC 平均赤血球容積	fl	64.6		60.2		59.9						60.6
MCH 〃ヘモグロビン量	pg	21.2		21.7		21.0						20.0
MCHC 〃ヘモグロビン濃度	%											
Plt 血小板	10^4/μl	49.8	46.9 (20-50)	50.1		58.4		43.5 (20-50)				58.7
RET 網状赤血球	%											
TP 総蛋白	g/dl	6.6 (5.0-7.2)	8.0 (5.0-7.2)	6.1 (5.1-7.5)	7.6 (6.0-7.5)	6.3 (5.1-7.5)	7.2 (6.0-7.5)	9.0 (5.0-7.2)	6.0 (6.0-7.5)	6.0 (6.0-7.5)	5.6 (6.0-7.5)	5.2 (5.1-7.5)
ALB アルブミン	g/dl	3.6 (2.6-4.0)	4.0 (2.6-4.0)	2.9 (2.6-3.9)		2.9 (2.6-3.9)		3.2 (2.6-3.3)	2.7 (2.6-4.0)	3.2 (2.6-4.0)		2.4 (2.6-3.9)
GLB グロブリン	g/dl		4.0 (2.4-4.0)	3.2 (2.1-4.3)		3.4 (2.1-4.3)						2.8 (2.1-4.3)
ALB/GLB比		1.2		0.90		0.85						0.85
AST(GOT)	IU/l	33 (17-44)						>1000 (17-44)	57 (17-44)	41 (17-44)	276 (17-44)	
ALT(GPT)	IU/l	106 (17-78)	94 (17-78)	39 (18-93)	70 (17-78)	444 (18-93)		>1000 (17-78)	>1000 (17-78)	288 (17-78)	>1000 (17-78)	390 (18-93)
ALP	IU/l	41 (0-89)	55 (-89)	34 (15-162)		162 (15-162)		1225 (47-89)	>1225 (0-89)	1141 (0-89)	1076 (0-89)	539 (15-162)
TBIL	mg/dl	<0.1 (0.0-0.5)	0.4 (-0.5)	0.1 (0-0.4)		0.1 (0-0.4)		2.5 (0.1-0.5)	0.5 (0.5以下)	0.2 (0.5以下)	0.2 (0.5以下)	0.2 (0-0.4)
TCHO	mg/dl	297 (115-337)	398 (115-337)	276 (132-344)		341 (132-344)		441 (135-270)				202 (132-344)
TG	mg/dl	104 (23-149)	80 (23-149)									
GGT	IU/l	10 (0-14)		6.0 (0-9.0)		28.7 (0-9.0)		74 (5-14)				89.7 (0-9.0)
NH3	μg/dl							84 (16-75)	21 (16-75)	23 (16-75)		
GLU 血糖値	mg/dl	95 (75-128)	117 (75-128)	90 (60-123)		78 (60-123)		110 (65-118)	101 (75-128)	140 (75-128)		79 (60-123)
BUN	mg/dl	43.6 (9.2-29.2)	78.0 (9.2-29.2)	74 (9-30)	65.3 (9.2-29.2)	142 (9-30)		91.7 (10-28)	>140.0 (9.2-29.2)	90.4 (9.2-29.2)	73.2 (9.2-29.2)	62 (9-30)
CRE	mg/dl	1.73 (0.40-1.40)	2.24 (0.4-1.40)	2.4 (0.5-1.4)	2.42 (0.4-1.4)	5.2 (0.5-1.4)		2.59 (0.4-1.6)	2.32 (0.4-1.4)	1.89 (0.4-1.4)	1.95 (0.4-1.4)	1.5 (0.5-1.4)
BUN/CRE比				30.83		27.30						41.33
Ca	mg/dl	10.6 (9.3-12.1)	12.7 (9.3-12.1)	11.1 (9.0-11.4)		13.0 (9.0-11.4)		13.6 (9.3-12.1)				10.0 (9.0-11.4)
IP	mg/dl	4.1 (1.9-5.0)	6.1 (1.9-5.0)	4.1 (2.2-5.9)	4.8 (1.9-5.0)	9.3 (2.2-5.9)		7.0 (1.9-5.0)	12.2 (1.9-5.0)	4.7 (1.9-5.0)		4.8 (2.2-5.9)
AMY	IU/l			1001 (401-1395)	1418 (200-1400)	984 (401-1395)	945 (200-1400)		739 (200-1400)	1300 (200-1400)	997 (200-1400)	693 (401-1395)
LIP	IU/l	142 (10-160)	221 (10-160)	446 (0-250)	643 (10-160)	883 (0-250)	512 (10-160)	367 (30-200)	272 (10-160)	>1000 (10-160)	997 (10-160)	1258 (0-250)
Na	mEq/L	145 (141-152)		148 (141-156)	149 (141-152)	147 (141-156)		143 (140-149)	151 (141-152)	142 (141-152)		150 (141-156)
K	mEq/L	4.9 (3.9-5.5)		4.9 (3.9-5.5)	4.2 (3.8-5.0)	5.7 (3.9-5.5)		3.8 (4.4-5.4)	3.7 (3.8-5.0)	4.7 (3.8-5.0)		3.7 (3.9-5.5)
Cl	mEq/L	107 (102-117)		106 (109-121)	108 (102-117)	97 (109-121)		96 (98-113)	103 (102-117)	101 (102-117)		105 (109-121)
		2022.9.17 森田AH	2023.12.25 あいAH	2024.2.22外注(森田)	2024.4.1森田AH	2024.9.18外注(森田)	2024.9.30 森田AH	2024.10.6 いずみAH	2024.10.10 森田AH	2024.10.17 森田AH	2024.10.22 森田AH	2024.10.30 外注(森田)
CRP C反応性蛋白	kg/dl	0.5 (0.0-0.7)		0.7 (0-1.0)		2.2 (0-1.0)		7.0 (-0.7)				1.1 (0-1.0)
PLI(Spec cPL)	μg/L					813 (0-200)						
SDMA	μg/dl			14 (0-14)		28 (0-14)						31 (0.5-1.4)
T4	μg/dl	0.94 (1.00-2.90)		1.5 (1.0-4.0)		1.1 (1.0-4.0)						0.8 (1.0-4.0)
フルクトサミン	μmol/L			237 (177-314)		252 (177-314)						159 (177-314)
糖化アルブミン	%	10.0 (8.8-14.5)										

[illegible]

